

# Videohub Master Control Pro



When you need to access your whole router without sacrificing speed, then Videohub Master Control Pro lets you scroll your router sources and destinations with the easy to use spin knob control or via direct button entry. You can even see all routes on the beautiful LCD! Plus Videohub Master Control Pro can be configured to be a Videohub or 2110 NMOS controller. Powers via DC or the Ethernet connection!

\$855

## Connections

### Ethernet

RJ45 Ethernet In and Out. Power over ethernet supported on Ethernet In. No power over ethernet on Ethernet Out.

### RS-422


In and Out (for future implementation)

### Computer Interface

USB-C for configuration and software updates.

### Power

100 - 240 AC



---

## Hardware Control

21 assignable buttons with scroll wheel for fast selection of source and destination. LCD information screen.

---

## IP Video Compliance

### Precision Time Protocol

IEEE 1588-2008 (PTP v2)  
ST 2059-1  
ST 2059-2

### NMOS IS-04 Discovery and Registration

v1.3.2  
Peer-to-peer via mDNS/DNS-SD

### NMOS IS-05 Connection Management

v1.1.2

### NMOS BCP-002-01

Natural Grouping

### NMOS BCP-004-01

Receiver capabilities


---

## Internal Software

Internal Software upgrade via included firmware updater application via USB or ethernet.

---

## Operating Systems



Mac 13.0 Ventura,  
Mac 14.0 Sonoma or later.



Windows 10, 64-bit.  
Windows 11.

---

## Physical Installation

1 rack unit size. Less than 3 inches deep.

---

## Button Configuration

Included free for Windows™ and Mac™ via USB 2.0 high speed (480Mb/s) interface.

---

---

## Power Requirements

### Power Fail Requirements


Button configurations and router communication preserved and restored instantly at power on.  
Button configuration can also be saved for later recall.

### Power Supply

Internal 100 - 240 V AC

---

## Physical Specifications



---

## Environmental Specifications

### Operating temperature

0° to 40° C (32° to 104° F)

### Storage temperature

-20° to 45° C (-4° to 113° F)

### Relative Humidity

0% to 90% non-condensing

---

## What's Included

Videohub Master Control Pro

---

## Warranty

1 Year Limited Manufacturer's Warranty.

Blackmagic Design Authorized Reseller